EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	0	"20040194069" and (configuration$1 or configur$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:33
S5	3	"20040194069"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:42
S2	2	"20050114240"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:43
S7	1	"20050114240" and file$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:48
S15	4474	S6 and (configuration$1 with management$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:49
S14	1	"20050114240" and (configuration with management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:49
S13	959	S12 and version$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:49
S18	1182	S17 and ((updat$3 or chang$3) with (notif$7 or send$3 or message$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:50

EAST Search History

S16	2490	S15 and (configuration near2 (file$1 or items or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:50
S11	1786	S10 and (configuration$1 same component$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:50
S10	2940	S9 and ((updat$3 or chang$3) with (notif$7 or send$3 or message$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:50
S9	7115	S8 and component$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:50
S20	628	S19 and (translat$4 or transform$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:51
S19	889	S18 and (configuration$1 same component$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 11:51
S26	61	S25 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:01
S24	1148	S23 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:01

EAST Search History

S29	723	S6 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:48
S31	434	S29 and (configuration near2 (file$1 or items or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:49
S30	6448	((updat$3) near4 configuration$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:49
S8	9215	S6 and (configuration near2 (file$1 or items or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:49
S17	2135	S16 and component$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:50
S32	367	S31 and component$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:53
S12	1184	S11 and (translat$4 or transform$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:53
S33	153	S32 and (translat$4 or transform$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:25

S34		3	"20040019662" and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:35
S35		2	"6990656".pn. and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:37
S36		2	"7080372".pn. and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:41
S37		2	"6272678".pn. and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:42
S38		2	"20010027554" and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 14:46
S40		2	"6990656".pn. and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 16:00
S39		2	"7024548".pn. and (configuration or item$1 or file or updat$3 or chang$3 or translat$3 or transform$3 or set or subset or sub?set or group$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 16:00
S42		5	((configuration near2 (data or items) near3 (chang$3 or updat$3)) same (bidirectional$2 or bi?directional$2)) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 17:32

S44	1	"20030229686" and (specific or translat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 17:44
S46	38	S45 and ((group$1 or set$1 or subset$1 or set$1) with configuration$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 18:00
S47	27	S45 and ((group$1 or set$1 or subset$1 or set$1) near3 configuration$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 18:01
S48	2	"20040215591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 10:20
S50	21058	((updat$3 or chang$3) near4 configuration$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:37
S49	22263	((updat$3 or chang$3) near4 configuration$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:37
S28	211	(software adj configuration adj management) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:37
S6	53669	((updat$3 or chang$3) near4 configuration$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:37

EAST Search History

S56	756741	((software near1 configuration near$1 management)) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S55	436462	((software near1 configuration near$1 management)) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S54	7	(translat$4 near4 specific near4 configuration$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S53	39	(translat$4 near4 specific near4 configuration$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S52	34	(software adj configuration adj management) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S51	71	(software adj configuration adj management) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S45	65	(translat$4 near4 specific near4 configuration$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38
S27	1616597	((software near1 configuration near$1 management)) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:38

S58	720	(configuration near2 (data or items) near3 (chang$3 or updat$3)) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:39
S57	841	(configuration near2 (data or items) near3 (chang$3 or updat$3)) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:39
S41	1853	(configuration near2 (data or items) near3 (chang$3 or updat$3)) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:39
S62	53403	((configuration near$1 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40
S61	50125	((configuration near$1 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40
S60	57696	((configuration near$2 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40
S59	53984	((configuration near$2 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40
S23	127841	((configuration near$1 management) with component$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40

EAST Search History

S22	139182	((configuration near$2 management) with component$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:40
S66	9	((configuration near2 (data or items) near3 (chang$3 or updat$3)) and (configuration near2 engine)) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S65	19	((configuration near2 (data or items) near3 (chang$3 or updat$3)) and (configuration near2 engine)) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S64	3	((configure near2 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S63	19	((configure near2 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S43	33	((configuration near2 (data or items) near3 (chang$3 or updat$3)) and (configuration near2 engine)) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S21	26	((configure near2 management) with component$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:41
S68	104	((configuration near2 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:42

S67	281	((configuration near2 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:42
S25	531	((configuration near2 management) with component$1) and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:42
S1	6	"723582".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 16:59
S73	53403	((configuration near$1 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:00
S72	22	S71 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:00
S71	281	((configuration near2 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:00
S70	3	S69 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:00
S69	104	((configuration near2 management) with component$1) and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:00

EAST Search History

S76	1232	S75 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:01
S75	50125	((configuration near$1 management) with component$1) and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:01
S74	452	S73 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:01
S3	1	"20050114240" and (master or slave)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 08:46
S77	1	"20050114240" and lms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 10:43
S78	3	"20030154404"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 11:25
S79	3	"20030154404"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 12:41
L1	2	"20030229686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 13:39

L2	3	"20040194069" and (bill$3 or customer or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 13:40